



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** LPS® Electro Contact Cleaner

**Other means of identification**  
**Part Number** 00416

**Recommended use** A non-flammable solvent blend for the removal of dirt, moisture, dust, flux and oxides from the internal components of electronic or precision equipment such as circuit boards and the internal components of electronic devices used in factories and other industrial settings.

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**  
**Manufacturer**  
**Manufacturer**

**Company name** LPS Laboratories, a division of Illinois Tool Works, Inc.  
**Address** 4647 Hugh Howell Rd.  
Tucker, GA 30084  
(U.S.A.)  
**Country** (U.S.A.)  
Tel: +1 770-243-8800  
**In Case of Emergency** 1-800-424-9300 (inside U.S.)  
+001 703-527-3887 (outside U.S.)  
**Website** www.lpslabs.com  
**E-mail** sds@lpslabs.com

## 2. Hazard(s) identification

**Physical hazards** Gases under pressure Liquefied gas

**Health hazards** Acute toxicity, oral Category 4

**Environmental hazards** Not classified.

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Warning

**Hazard statement** Contains gas under pressure; may explode if heated. Harmful if swallowed.

**Precautionary statement**

**Prevention** Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

**Response** If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.

**Storage** Protect from sunlight. Store in a well-ventilated place.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** 89.09% of the mixture consists of component(s) of unknown acute oral toxicity.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHANE, 1,1,1,2-TETRAFLUORO-(HFC-134 a)	REFRIGERANT GAS R-134A	811-97-2	40 - 50
Methyl Nonafluorobutyl ether		163702-07-6	10 - 20

Chemical name	Common name and synonyms	CAS number	%
Methyl Nonafluoroisobutyl ether		163702-08-7	10 - 20
PERFLUORO COMPOUNDS, (PRIMARILY COMPOUNDS WITH 6 CARBONS		86508-42-1	10 - 20
1,2-TRANS-DICHLOROETHYLENE		156-60-5	5 - 10
Cyclohexylmethane		108-87-2	1 - 5
Isopropanol	ISOPROPYL ALCOHOL (IPA)	67-63-0	1 - 5

#### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ). Foam, water spray or fog.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Contents under pressure.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
<b>Fire-fighting equipment/instructions</b>	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
<b>Specific methods</b>	Cool containers exposed to flames with water until well after the fire is out.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Stop the flow of material, if this is without risk. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Level 1 Aerosol.  Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Cyclohexylmethane (CAS 108-87-2)	PEL	2000 mg/m <sup>3</sup>
Isopropanol (CAS 67-63-0)	PEL	500 ppm 980 mg/m <sup>3</sup> 400 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
1,2-TRANS-DICHLOROETHYLENE (CAS 156-60-5)	TWA	200 ppm
Cyclohexylmethane (CAS 108-87-2)	TWA	400 ppm
Isopropanol (CAS 67-63-0)	STEL TWA	400 ppm 200 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Cyclohexylmethane (CAS 108-87-2)	TWA	1600 mg/m <sup>3</sup> 400 ppm
Isopropanol (CAS 67-63-0)	STEL TWA	1225 mg/m <sup>3</sup> 500 ppm 980 mg/m <sup>3</sup> 400 ppm

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
ETHANE, 1,1,1,2-TETRAFLUORO-(HFC-134a) (CAS 811-97-2)	TWA	1000 ppm	8 hour
Methyl Nonafluorobutyl ether (CAS 163702-07-6)	TWA	750 ppm	
Methyl Nonafluoroisobutyl ether (CAS 163702-08-7)	TWA	750 ppm	

### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Chemical resistant gloves are recommended.

**Other** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Not applicable.

### General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Appearance</b>	Clear. Liquid.
<b>Physical state</b>	Gas.
<b>Form</b>	Aerosol.
<b>Color</b>	Colorless
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not established
<b>pH</b>	Not applicable
<b>Melting point/freezing point</b>	Not established
<b>Initial boiling point and boiling range</b>	118.4 °F (48 °C)
<b>Flash point</b>	None (Tag-Closed Cup)
<b>Evaporation rate</b>	< 1 (Ethyl Ether = 1)
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not established
<b>Flammability limit - upper (%)</b>	Not established
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	3103 mm Hg @ 20°C
<b>Vapor density</b>	> 1
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	< 5 % by weight
<b>Partition coefficient (n-octanol/water)</b>	< 1
<b>Auto-ignition temperature</b>	> 482 °F (> 250 °C)
<b>Decomposition temperature</b>	Not established
<b>Viscosity</b>	< 3 cSt @ 25°C
<b>Other information</b>	
<b>Heat of combustion</b>	< 20 kJ/g
<b>Percent volatile</b>	100 %
<b>Specific gravity</b>	1.38 - 1.4 @ 25°C
<b>VOC (Weight %)</b>	45 % per US State & Federal Consumer Product Regulations

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Heat, flames and sparks. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents. Reacts violently with sodium, potassium, barium metal. Reacts with finely divided aluminum, zinc and magnesium.
<b>Hazardous decomposition products</b>	Combustion will generate smoke, possibly thick and choking, resulting in zero visibility and combustion products include hydrogen fluoride, hydrogen chloride, fluorine, chlorine, carbon monoxide and carbon dioxide.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	Harmful if swallowed.
------------------	-----------------------

**Inhalation** Prolonged inhalation may be harmful. May cause irritation to the respiratory system.  
**Skin contact** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.  
**Eye contact** Direct contact with eyes may cause temporary irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Irritating to eyes, respiratory system and skin. Exposure may cause temporary irritation, redness, or discomfort. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Information on toxicological effects**

**Acute toxicity** Harmful if swallowed.

Components	Species	Test Results
------------	---------	--------------

1,2-TRANS-DICHLOROETHYLENE (CAS 156-60-5)

**Acute**

*Inhalation*

LC50	Mouse	21723 mg/l, 6 Hours
------	-------	---------------------

*Oral*

LD50	Rat	1235 mg/kg
------	-----	------------

*Other*

LD50	Mouse	4019 mg/kg
	Rat	7411 mg/kg

Cyclohexylmethane (CAS 108-87-2)

**Acute**

*Dermal*

LD50	Rat	>= 4 ml/kg
------	-----	------------

*Inhalation*

LC25	Rabbit	7300 mg/l
------	--------	-----------

LC50	Rat	16 mg/l
------	-----	---------

*Oral*

LD50	Rat	> 8 ml/kg
------	-----	-----------

Isopropanol (CAS 67-63-0)

**Acute**

*Dermal*

LD50	Rabbit	12800 mg/kg 16.4 ml/kg
------	--------	---------------------------

*Inhalation*

LC50	Rat	> 10000 ppm
------	-----	-------------

*Oral*

LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
	Rabbit	5.03 g/kg
	Rat	4.7 g/kg

*Other*

LD50	Mouse	1509 mg/kg
	Rat	1099 mg/kg

PERFLUORO COMPOUNDS, (PRIMARYLY COMPOUNDS WITH 6 CARBONS (CAS 86508-42-1)

**Acute**

*Other*

LD50	Mouse	240 mg/kg
------	-------	-----------

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
<b>ACGIH Carcinogens</b>	
Isopropanol (CAS 67-63-0)	A4 Not classifiable as a human carcinogen.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	
Not listed.	
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.
<b>Further information</b>	None known.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Components	Species	Test Results
Cyclohexylmethane (CAS 108-87-2)		
<b>Aquatic</b>		
Fish	LC50 Striped bass ( <i>Morone saxatilis</i> )	5.8 mg/l, 96 hours
Isopropanol (CAS 67-63-0)		
<b>Aquatic</b>		
Fish	LC50 Bluegill ( <i>Lepomis macrochirus</i> )	> 1400 mg/l, 96 hours

**Persistence and degradability** Not inherently biodegradable.

**Bioaccumulative potential** Not available.

**Partition coefficient n-octanol / water (log Kow)**

1,2-TRANS-DICHLOROETHYLENE	2.06
Cyclohexylmethane	3.61
ETHANE, 1,1,1,2-TETRAFLUORO-(HFC-134a)	1.06
Isopropanol	0.05

**Mobility in soil** No data available.

**Other adverse effects** None known.

## 13. Disposal considerations

**Disposal instructions** Consult authorities before disposal. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

<b>UN number</b>	UN1950
<b>UN proper shipping name</b>	Aerosols, non-flammable
<b>Transport hazard class(es)</b>	
<b>Class</b>	2.2
<b>Subsidiary risk</b>	-

<b>Label(s)</b>	2.2
<b>Packing group</b>	Not applicable.
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Packaging exceptions</b>	306
<b>Packaging non bulk</b>	None
<b>Packaging bulk</b>	None

**IATA**

<b>UN number</b>	UN1950
<b>UN proper shipping name</b>	Aerosols, non-flammable
<b>Transport hazard class(es)</b>	
<b>Class</b>	2.2
<b>Subsidiary risk</b>	-
<b>Packing group</b>	Not applicable.
<b>Environmental hazards</b>	No.
<b>ERG Code</b>	10L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed.
<b>Cargo aircraft only</b>	Allowed.

**IMDG**

<b>UN number</b>	UN1950
<b>UN proper shipping name</b>	AEROSOLS
<b>Transport hazard class(es)</b>	
<b>Class</b>	2.2
<b>Subsidiary risk</b>	-
<b>Packing group</b>	Not applicable.
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	No.
<b>EmS</b>	F-D, S-U
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**DOT**



**IATA; IMDG**



## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

1,2-TRANS-DICHLOROETHYLENE (CAS 156-60-5) Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - Yes

Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

#### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### US. Massachusetts RTK - Substance List

1,2-TRANS-DICHLOROETHYLENE (CAS 156-60-5)

Cyclohexylmethane (CAS 108-87-2)

Isopropanol (CAS 67-63-0)

#### US. New Jersey Worker and Community Right-to-Know Act

Cyclohexylmethane (CAS 108-87-2)

Isopropanol (CAS 67-63-0)

#### US. Pennsylvania Worker and Community Right-to-Know Law

1,2-TRANS-DICHLOROETHYLENE (CAS 156-60-5)

Cyclohexylmethane (CAS 108-87-2)

Isopropanol (CAS 67-63-0)

#### US. Rhode Island RTK

1,2-TRANS-DICHLOROETHYLENE (CAS 156-60-5)

Isopropanol (CAS 67-63-0)

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes



Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 04-30-2014

**Version #** 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.